

Promax
BUILD

2024 **PRODUCT CATALOGUE**



BEFORE YOU BUILD, SPEAK WITH US.

Whether you're storing water, harvesting the rain or installing septic tanks, Promax has a liquid storage solution that will fit your construction site just as neatly as it will fit your budget.

From ultra-strong underground tanks for carparks to aesthetically appealing slimline water tanks that sit alongside a townhouse, we've got an extensive range to suit every budget and requirement. Designed to blend discreetly with your surroundings, and manufactured tough to last for many years, our tanks will help you save money and offset environmental impacts.

When it's time to build, build with Promax. Above ground, or underground, we'll fit right in.

Kind regards,
The Promax Team



Promax

LIQUID MANAGEMENT SOLUTIONS



0800 77 66 29



09 407 3578



sales@promax.co.nz



www.promax.co.nz

CONTENTS

ENDURO SUPER DUTY
UNDERGROUND TANKS

4

TANKS

ENDURO UNDERGROUND
TANKS

6

TANKS

XPRESS UNDERGROUND
TANKS

8

ACCESSORIES

10

WATER TANKS

SEPTIC TANKS

RAIN HARVESTING
ACCESSORIES

SPECIFICATIONS

12

20

21

26



0800 77 66 29



09 407 3578



sales@promax.co.nz





www.promax.co.nz

ENDURO SUPER DUTY UNDERGROUND TANKS

The Promax ENDURO Super Duty Underground Tank are the first, and only, tank in NZ to be certified to the latest standards AS/NZS4766:2020.

The unique rectangular shape of the ENDURO Super Duty Underground Tank brings a major advantage to the market by reducing excavation and backfill requirements, saving time and money.







ENDURO Super Duty Underground Tanks

- Unique shape brings major advantage to the market by reducing excavation and backfill requirements by up to 30%
- Available in 2000L - 10000L
- The solid filled rib design is superior in both design and strength to withstand the ground pressures that will be applied over the lifetime of the tank
- Comes standard with garden lid. Cast iron lids are also available for this unit
- Suitable for potable water, stormwater, and waste water storage
- Can be installed under driveways, footpaths, car parks, forecourts and much more
- Multiple inlet/outlets plumbing ports
- Vehicular Traffic Tested.

*Additional freight charges will apply to South Island orders



**ENDURO
SUPER DUTY
UNDERGROUND
TANKS RANGE FROM
2,000L
TO
10,000L
CAPACITIES**



0800 77 66 29



09 407 3578



sales@promax.co.nz



www.promax.co.nz


ENDURO UNDERGROUND TANKS

The unique rectangular shape of the ENDURO Underground Tank brings a major advantage to the market by reducing excavation and backfill requirements, saving time and money.

ENDURO Underground Tanks


- Unique shape brings major advantage to the market by reducing excavation and backfill requirements by up to 30%
- Available in 2000L - 10000L
- The solid filled rib design is superior in both design and strength to withstand the ground pressures that will be applied over the lifetime of the tank
- Comes standard with garden lid. Cast iron lids are also available for this unit
- Suitable for stormwater and wastewater storage
- Can be installed under driveways, footpaths, car parks, forecourts and much more
- Multiple inlet/outlets plumbing ports
- Vehicular Traffic Tested

* Additional freight charges will apply to South Island orders.







TYPICAL RETENTION SETUP WITH HOUSE



DETAIL A
SCALE 1 : 10




DETAIL B
SCALE 1 : 10



XPRESS UNDERGROUND TANKS

The Promax Underground Stormwater / Wastewater tanks are suitable for the retention or detention of stormwater or the storage of potable water.



**XPRESS
UNDERGROUND
TANKS RANGE FROM**

1,000L



**30,000L
CAPACITIES**



**STORMWATER
RETENTION,
DETENTION AND
WASTEWATER
STORAGE**



**VEHICLE TRAFFIC
TESTED**

XPRESS Underground Tank

- Stormwater retention, detention and wastewater storage
- Can be installed under driveways, footpaths, car parks, forecourts and much more
- Save time and money with multiple inlet/outlet plumbing ports
- Vehicular Traffic Tested






UX0702000
0.75m dia



UX1205000
1.2m dia
South Island only



UX0902000DB
0.9m dia



UX1930000
1.9m dia



UNDERGROUND TANK ACCESSORIES

XPRESS 1300L Pump Chamber

UXCH01300BK

The Promax Pump Chamber is a quick and easy solution for your specific pumping requirements. The smooth interior with dished floor allows you to pump out the tank's full contents with minimal residue. This vertical pumping station riser is suitable for rain-harvesting, and as a storm-water and waste-water storage chamber.

- Ribbed walls give huge strength while also helping to lock the tank into the ground
- 1300L Capacity
- Suitable for installation under high traffic regions
- Steel or Plastic lids available
- Hydraulic uplift anchoring drawings available on request




Promax Underground Installation Anchor For 1.2 Dia (Pair)

ACUGANC12PR

The Promax Installation Anchor is a cost-effective way to keep Underground Tanks secure while backfilling and compacting.

- Modular – 1 x Strap & Anchor pads per meter
- Cost effective




Promax Underground Uplift Restraint Kit 1.2M Dia - Per 1000L (Pair)

ACUXURK12PR

Promax Uplift Restraints ensure your Underground Tank will stay in the ground even when subject to high hydraulic pressure.

- Modular – Just add concrete (Note: Concrete is not supplied)
- Fully Engineered with PS1
- Available for all tank sizes



Promax Stormwater Tank Fitting Kit

ACTFTFKS

The Promax Stormwater Fitting Kit assists with a speedy install of our above and underground Stormwater Detention Tanks.

- 3 x 100mm Promax Pipe Seals
- 1 x Mesh Screen Cap and Socket
- 1 x Undrilled Orifice Plate (customer to drill hole to suit requirements)



ENDURO ABOVEGROUND WATER TANKS

Choose quality and style with our range of premium corrugated tanks, designed for superior performance and peace-of-mind. These ultra strong tanks are engineered to last and complement every landscape with their contemporary look.



10 REASONS TO PURCHASE A PROMAX ENDURO TANK

1

Choose from 7 of NZ's favourite tank colours.

2

Strong one piece Promax moulding process.

3

We'll work with you to quickly and efficiently meet your delivery requirements.

4

10,000, 25,000 and 30,000 litre tanks delivered free to your property (this may exclude certain areas and outer Islands).

5

4x Plumbing inlet/outlet panels and large 600mm manhole with lid provided.

6

Corrugated sidewalls for superior strength and toughness.

This unique feature allows Promax ENDURO tanks to be buried 1 metre into the ground and still retain a 20 year warranty.

7

All Promax tanks comply with Australia and New Zealand Potable Drinking Standard with certification to AS/NZ 4766 - Polyethylene storage tank standard.

8

Includes Industry Standard BSP female outlet/s.

9

Clean, pure fresh water, with no tainted taste, fully UV stabilised.

10

All Promax tanks can be purchased through your local reseller.



0800 77 66 29




09 407 3578



sales@promax.co.nz



www.promax.co.nz



**BIG
ENDURO
ABOVEGROUND
TANKS RANGE FROM
10,000L
TO
30,000L
CAPACITIES**



**IN GROUND TO OVERCOME
HEIGHT RESTRICTIONS**



Big ENDURO Aboveground Tanks


- Big ENDURO Aboveground tanks range from 10000L to 30000L capacities
- Corrugated side walls for extra strength
- One piece construction - reducing maintenance and costs
- Bury 1 metre in ground to overcome height restrictions
- 20 Year Promax Warranty - providing you with peace of mind
- Multiple inlet/outlet panels - saving you installation time
- 600mm Manhole
- Clean, fresh, untainted storage for drinking and household use
- Threaded base outlets
- Choice of 7 colours to suit your surroundings





Small ENDURO Aboveground Tanks

- Small ENDURO Aboveground tanks range from 450L to 5000L capacities
- Corrugated side walls for extra strength
- Maintenance-free one piece moulded construction
- Easy installation with multiple inlet/outlet opportunities
- Clean, fresh, untainted storage for drinking and household use
- 1x threaded base outlet
- Special outlets available on request
- Choice of 7 colours to suit your surroundings
- 450mm manhole



PROMAX ENDURO TANK COLOURS



XPRESS ABOVEGROUND WATER TANKS

XPRESS Aboveground Tanks are made from high-grade polyethylene plastic and provide renowned Promax quality at an affordable price.





XPRESS Aboveground Water Tanks

- 2500L - 30000L capacities
- One-piece construction - reducing maintenance and costs
- Threaded 25mm - 50mm outlet at base for quick and easy setup
- Choice of two popular colours
- Complies with AS/NZ Standards for clean fresh drinking water
- 20 Year Industry Warranty on 10,000, 15,000, 25,000 and 30,000 litre tanks
- 450mm - 650mm Manhole

**COMPLIES
WITH AS/NZ
STANDARDS
FOR DRINKING
WATER**

PROMAX XPRESS TANK COLOURS

Mist Green

Dark Grey



**XPRESS
ABOVEGROUND
TANKS RANGE FROM
2,500L**

TO

**30,000L
CAPACITIES**



0800 77 66 29



09 407 3578



sales@promax.co.nz



www.promax.co.nz



SLIMLINE WATER TANKS

Specifically designed for maximum storage using minimal space, the Promax Slimline Tank will blend discreetly into any environment without taking up valuable room.


With its one-piece construction and inbuilt seismic restraints, the Promax Slimline is the most reliable model on the market. With no joins or welds, this innovative design will not leak or crack and is certified to AS/NZS4020 - Drinking Water Approved.

The Promax Slimline Tank is also available as a Slimline Tank and Pump Combo.



Promax Slimline Tanks

- In-built Seismic Restraint - No posts needed, just bolt to the concrete pad
- PS1 for seismic restraint available - Certified to IL2 (Residential, Commercial & Industrial Buildings)
- 2000L, 3000L and 5000L models include a tidy and discreet in-built pump house
- Low height to meet height-to-boundary regulations
- Certification to AS/NZ 4766 - Polyethylene storage tank standard
- Our new 1000L Slimline Tank is a great option when you require a compact tank for harvesting rainwater for your garden, bach or pool



Promax Slimline Tank & Pump Combo

All the benefits of the Promax Slimline Tank with a pre-plumbed pump system.

- DAB-JETCOM82MPC2 Pump for reliability
- Bianco RAINSAVERMK6 automatic mains/changeover device
- Saves onsite hassle and incorrect plumbing configurations
- 2 year Warranty on Pump System.
- AS/NZS4020 Drinking Water Approved



SEPTIC TANKS

When it comes to septic tanks in New Zealand, there is no room for compromise. Hygiene and safety are paramount, and the structural integrity of the tank must be flawless.

That's precisely what you get in every Promax septic tank.

Our 'Single Stage' filtered septic tanks are designed by geotechnical experts and manufactured to meet the stringent standards for New Zealand septic tanks. Each heavy-duty ribbed tank is fully tested to withstand ground and water pressure. For all its strength, it is lightweight, meaning you'll save on transport and installation costs. As you'd expect, every Promax septic tank is internally plumbed up to the outlets.

UXST02000



*North and South Island products differ

Septic Tanks

- Very strong heavy-duty one-piece ribbed construction
- Lightweight means savings on transport and installation costs
- Polyethylene will not corrode or rot
- Includes Taylex Outlet Filter
- Easy to install using 100mm inlet & outlet

UXST03000



UXST04000



Minimum Septic Tank Operational Capacities in Litres
As per AS/NZS 1546

Type of Wastewater	Persons		Bedroom	
	1 to 5	6 to 10	1 to 3	4 to 6
All-Waste	3,000	4,500	3,000	4,500
Greywater Only	1,800	2,700	1,800	2,700
Blackwater Only	1,500	2,500	1,500	2,500

Note:

1. Capacities exclude cold climate effects and food waste disposal unit requirements: these need to be subject to specific design.
2. Local authorities may have different minimum requirements.

UXST05000



*North and South Island products differ



RAIN HARVESTING ACCESSORIES

More and more New Zealanders are harvesting more and more rain. We're here to meet the increased demand for rain harvesting tanks and accessories.

If you want to capture every precious drop, we'll help you choose the tank that best suits your project.

We also have the accessories you'll require, including pumps and covers, tank level indicators, fittings, fire coupling kits, leaf eaters and everything else you need to keep your rainwater storage safe, secure and clean.

We're leaders in drought protection and rain harvesting in New Zealand.

Promax Tank Fitting Kit

ACTFFITKIT

- 2 x Promax Pipe seals - 90mm
- 1 x Reducing nipple 50mm - 25mm
- 1 x Promax Plastic Ball Valve - 25mm
- 1 x Promax 25mm Hose Tail
- 1 x 2m Flexi suction delivery hose 25mm
- 1 x roll Thread Tape



Promax Tank Balancing Kit - 50mm

ACTFTBK050


This kit contains all the 50mm fittings required to install a water balance pipeline between two tanks. This allows them to operate as one tank. This kits also includes one isolating ball valve.



Promax Buried Single Tank Fire Service Outlet Kit - 100mm

ACTFFSOKITB100


- Long lasting Brass Gate valve and Coupling
- 100mm Fire Service Standard Size
- Meets New Zealand Fire Service Standards
- Easy to Install
- Maintenance free



Promax Buried Dual Tank Fire Service Outlet Kit - 100mm

ACTFFSOKITDB100

- Long lasting Brass Gate valve and Coupling
- 100mm Fire Service Standard Size
- Meets New Zealand Fire Service Standards
- Easy to Install
- Maintenance free



Promax Fire Service Outlet Kit - 100mm

ACTFFSOKIT100

- Includes: 100mm Tank Fitting, Brass Gate Valve, Galvanised Support Bracket & Approved Fire Coupling
- Meets New Zealand Fire Service Standards
- Easy to Install
- Maintenance free
- Includes: Adjustable Galvanised Steel Support Bracket 150mm-250mm Height.

Promax Dual Tank Fire Service Outlet Kit - 100mm

ACTFFSOKITD100

The Dual Fire Outlet Kit is required when you wish to interconnect and draw water from both tanks at the same time.



Promax Tank Level Indicator

ACRHTLI

Running dry can seriously damage your pump so it's important to know when water levels are low. Suitable for any type or size of tank, the Tank Level Indicator, is an essential part of your water management.



Promax Floating Outtake - 25mm

ACTFFLOUT025

This simple kit attaches to your tank outlet and floats on the surface of the water within your tank. It draws only the cleanest water from your tank, just below the surface.

- Also available in a 50mm option



Promax First Flush Diverter 120 Ltr

ACRHFFDK120

Protect your rainwater quality by diverting the contaminated water that washes off your roof with the first few millimetres of rainfall.



Promax First Flush Diverter Kit 90mm

ACRHFFDK090

This kit protects your rainwater quality by diverting the contaminated water that washes off your roof with the first few millimetres of rainfall.





Promax Tank Vac

ACTFTVACLGE

Protect your water supply from contamination with the easy to install Promax Tank Vac.

It gently cleans the bottom of your tank, where unhygienic debris can settle, to improve your water quality.

Promax Water Pump Kit 50 LPM

ACPUK50LM

- 1 x Grundfos Pump
- 1 x Small Pump Cover
- 2 x Promax Pipe seals - 90mm
- 1 x Reducing nipple 50mm - 25mm
- 1 x Promax Plastic Ball Valve - 25mm
- 1 x Promax 25mm Hose Tail
- 1 x 2m Flexi suction delivery hose 25mm
- 1 x Roll Thread Tape



Promax Submersible Pump 60 LPM

ACPUSUB60LM

This kit is the ultimate low-cost, silent, urban rainwater solution. The Submersible pump and Water Switch package allows the pump to be placed within the tank for discreet operation, leaving only the Water Switch on the outside of the tank. Ideal for household water and garden irrigation systems, this kit is ideal in locations where silent operation, reliability and solid performance are essential.

Water Switch automatically connects to mains water when the tank is empty ensuring you never run out of water. The kit includes:

- Submersible Pump
- Water Switch

Features include:

- The easiest, quickest system to install - no float!
- Does not require any regular maintenance
- Dual check valve for backflow prevention
- Suitable for above and below ground tanks
- Will automatically switch to mains water in the event of power failure
- Water source indicator lights
- Complete control with tank only garden supply



Promax Submersible Pump Water Rainbank Switch & Cabinet

ACPUSUBSWCAB

RainBank is an automatic controller for rainwater harvesting. It controls the water supply for toilet and laundry applications by automatically selecting the water source. Rainwater is given priority with mains water as back up if the tank is empty or if there is a power outage.

This Cabinet Combo offers a neat, tamper resistant installation for modern homes. Features include:

- Simple to install with no adjustment necessary, saving time and money at installation
- Feedback lights to indicate water source and faults
- No solenoid valves used
- RainBank automatically switches between rainwater and mains water supply, with no need for consumer intervention.
- Built-in backflow protection valve (dual check valve) in compliance with the requirements of AS/NZX 3500-1-2003 for added safety and assured protection of your mains water supply
- Incorporates pre and post filtration to ensure reliability and high water quality
- Very low standby power - only 0.5 watts





Promax Corrugated Tank Outlet - 50mm

ACTFTOC050

This 50mm Tank Outlet comes complete with the corrugated rubber gasket kit suitable for use on Promax corrugated tanks.



Promax Tank Outlet with Corrugated Flange 25mm

ACTFTOC025

- This 25mm Tank Outlet comes complete with the corrugated rubber gasket kit suitable for use on Promax corrugated tanks.
- Recommended Holesaw Size - 34mm or 1 3/8"



Promax Water Filter & UV 130 LPM

ACRHFLTUV130



Promax Water Filter & UV 75 LPM

ACRHFLTUV075



- 10 Year warranty - aluminium housing/stainless chambers
- 3 Year warranty on filtration units - 20/1 microns
- Easy and fast "plug and play" installation
- Complete eco-friendly and chemical free process
- Anti-tamper and childproof lockable controller lid
- Double O-Ring filter housings with no leaking
- Lamp count-down timer and failure alarm (audible and visible)
- Longer filter life with very easy replacement



0800 77 66 29



09 407 3578



sales@promax.co.nz



www.promax.co.nz

SPECIFICATIONS

For improved information quality we regularly update our tank specifications for our molds.
For the latest and most accurate information, please contact our team directly.

ENDURO Super Duty Underground Tanks

CODE	NAME	Capacity (L)	Length (mm)	Width (mm)	Height (mm)	Manhole (dia)	Weight (kg)
US1010000	ENDURO Super Duty Underground Tank 10,000 Ltr 1.0m	10,000	10200	1250	1000	600	810
US1009000	ENDURO Super Duty Underground Tank 9,000 Ltr 1.0m	9,000	9160	1250	1000	600	730
US1008000	ENDURO Super Duty Underground Tank 8,000 Ltr 1.0m	8,000	8160	1250	1000	600	650
US1007000	ENDURO Super Duty Underground Tank 7,000 Ltr 1.0m	7,000	7160	1250	1000	600	580
US1006000	ENDURO Super Duty Underground Tank 6,000 Ltr 1.0m	6,000	6115	1250	1000	600	500
US1005000	ENDURO Super Duty Underground Tank 5,000 Ltr 1.0m	5,000	5115	1250	1000	600	410
US1004000	ENDURO Super Duty Underground Tank 4,000 Ltr 1.0m	4,000	4115	1250	1000	600	330
US1003000	ENDURO Super Duty Underground Tank 3,000 Ltr 1.0m	3,000	3070	1250	1000	600	250
US1002000	ENDURO Super Duty Underground Tank 2,000 Ltr 1.0m	2,000	2070	1250	1000	600	160

ENDURO Underground Tanks

CODE	NAME	Capacity (L)	Length (mm)	Width (mm)	Height (mm)	Manhole (dia)	Weight (kg)
UE1010000	ENDURO Underground Tank 10,000 Ltr 1.0m	10,000	10200	1250	1000	600	500
UE1009000	ENDURO Underground Tank 9,000 Ltr 1.0m	9,000	9160	1250	1000	600	450
UE1008000	ENDURO Underground Tank 8,000 Ltr 1.0m	8,000	8160	1250	1000	600	350
UE1007000	ENDURO Underground Tank 7,000 Ltr 1.0m	7,000	7160	1250	1000	600	325
UE1006000	ENDURO Underground Tank 6,000 Ltr 1.0m	6,000	6115	1250	1000	600	300
UE1005000	ENDURO Underground Tank 5,000 Ltr 1.0m	5,000	5115	1250	1000	600	250
UE1004000	ENDURO Underground Tank 4,000 Ltr 1.0m	4,000	4115	1250	1000	600	175
UE1003000	ENDURO Underground Tank 3,000 Ltr 1.0m	3,000	3070	1250	1000	600	150
UE1002000	ENDURO Underground Tank 2,000 Ltr 1.0m	2,000	2070	1250	1000	600	100



XPRESS Underground Tanks

CODE	NAME	Capacity (L)	Length (mm)	Manhole (dia)	Weight (kg)	Outlets (mm)
UX1930000	XPRESS Underground Tank 30,000 Ltr 1.9M Dia	30,000	12540	600	1800	1900
UX1925000	XPRESS Underground Tank 25,000 Ltr 1.9M Dia	25,000	10540	600	1200	1900
UX1920000	XPRESS Underground Tank 20,000 Ltr 1.9M Dia	20,000	8520	600	1000	1900
UX1915000	XPRESS Underground Tank 15,000 Ltr 1.9M Dia	15,000	6520	600	750	1900
UX1910000	XPRESS Underground Tank 10,000 Ltr 1.9M Dia	10,000	4250	600	500	1900
UX1210000	XPRESS Underground Tank 10,000 Ltr 1.2M Dia	10,000	8751	600	500	1280
UX1209000	XPRESS Underground Tank 9,000 Ltr 1.2M Dia	9,000	7931	600	375	1280
UX1208000	XPRESS Underground Tank 8,000 Ltr 1.2M Dia	8,000	7240	600	325	1280
UX1207000	XPRESS Underground Tank 7,000 Ltr 1.2M Dia	7,000	6210	600	300	1280
UX1206000	XPRESS Underground Tank 6,000 Ltr 1.2M Dia	6,000	6000	600	250	1280
UX1205000	XPRESS Underground Tank 5,000 Ltr 1.2M Dia	5,000	5000	600	200	1280
UX1204000	XPRESS Underground Tank 4,000 Ltr 1.2M Dia	4,000	4000	600	175	1280
UX1203000	XPRESS Underground Tank 3,000 Ltr 1.2M Dia	3,000	3100	600	150	1280
UX1202000	XPRESS Underground Tank 2,000 Ltr 1.2M Dia	2,000	1951	600	100	1280
UX0907000	XPRESS Underground Tank 7,000 Ltr 900mm Dia	7,000	9860	600	305	900
UX0906000	XPRESS Underground Tank 6,000 Ltr 900mm Dia	6,000	8835	600	265	900
UX0905000	XPRESS Underground Tank 5,000 Ltr 900mm Dia	5,000	7280	600	230	900
UX0904000	XPRESS Underground Tank 4,000 Ltr 900mm Dia	4,000	6255	600	190	900
UX0903000	XPRESS Underground Tank 3,000 Ltr 900mm Dia	3,000	4705	600	190	900
UX0902000	XPRESS Underground Tank 2,000 Ltr 900mm Dia	2,000	3670	600	115	900
UX0901000	XPRESS Underground Tank 1,000 Ltr 900mm Dia	1,000	1240	600	55	900
UX0704000	XPRESS Underground Tank 4,000 Ltr 750mm Dia	4,000	7580	600	210	750
UX0703000	XPRESS Underground Tank 3,000 Ltr 750mm Dia	3,000	4960	600	165	750
UX0702000	XPRESS Underground Tank 2,000 Ltr 750mm Dia	2,000	3835	600	115	750

Underground Tank Accessories

CODE	NAME	Capacity (L)	Height (mm)	Manhole (dia)	Diameter (mm)
UXCH01300BK	XPRESS 1300L Pump Chamber	1,300	2070	600	1000
ACUGANC12PR	Promax Underground Installation Anchor For 1.2 Dia (Pair)				
ACUXURK12PR	XPRESS Underground Uplift Restraint Kit 1.2M Dia - Per 1000L (Pair)				
ACTFTFKS	Promax Stormwater Tank Fitting Kit				




SPECIFICATIONS

Promax ENDURO Aboveground Water Tanks



Promax XPRESS Aboveground Water Tanks



ENDURO Water Tanks

CODE	NAME	Capacity (L)	Height (mm)	Manhole (dia)	Weight (kg)	Diameter (mm)	Outlets (mm)
ENI030000	ENDURO Water Tank 30,000 Ltr	30,000 Ltr	3125	600	450	3660	
ENI025000	ENDURO Water Tank 25,000 Ltr	25,000 Ltr	2731	600	380	3660	
ENI010000	ENDURO Water Tank 10,000 Ltr North Island	10,000 Ltr	2900	450	175	2200	
ENLP05000	ENDURO Water Tank 5,000 Ltr Low Profile	5,000 Ltr	1850	450	110	2200	
ENI005000	ENDURO Water Tank 5,000 Ltr North Island	5,000 Ltr	2690	450	100	1600	
ENI004000	ENDURO Water Tank 4,000 Ltr	4,000 Ltr	2200	450	85	1600	
ENI003000	ENDURO Water Tank 3,000 Ltr	3,000 Ltr	1760	450	65	1600	
ENI002000	ENDURO Water Tank 2,000 Ltr	2,000 Ltr	1735	450	40	1300	
ENI001000	ENDURO Water Tank 1,000 Ltr	1,000 Ltr	1240	450	30	1030	
ENI000450	ENDURO Water Tank 450 Ltr	450 Ltr	820	450	20	880	

XPRESS Water Tanks

CODE	NAME	Capacity (L)	Height (mm)	Manhole (dia)	Weight (kg)	Diameter (mm)	Outlets (mm)
XPI030000	XPRESS Water Tank 30,000 Ltr	30,000 Ltr	3100	600	425	3660	
XPI025000	XPRESS Water Tank 25,000 Ltr	25,000 Ltr	2800	600	375	3660	
XPI015000	XPRESS Water Tank 15,000 Ltr - North Island	15,000 Ltr	2500	600	265	3000	
XPI015000	XPRESS Water Tank 15,000 Ltr - South Island	15,000 Ltr	2350	600	220	3000	
XPI010000	XPRESS Water Tank 10,000 Ltr- South Island	10,000 Ltr	3030	450	180	2200	
XPSK05760	XPRESS Water Tank 5,760 Ltr Stackable	5,760 Ltr	2040			2300	1x25
XPI005000	XPRESS Water Tank 5,000 Ltr - South Island	5,000 Ltr	2240	450	100	1850	
XPI003500	XPRESS Water Tank 3,500 Ltr	3,500 Ltr	1704	450	70	1850	
XPI002500	XPRESS Water Tank 2,500 Ltr	2,500 Ltr	1240	450	55	1850	
XPI000120	Promax Header Tank 120 Ltr	120 Ltr	510	250	5	660	

Promax Slimline Water Tanks

CODE	NAME	Capacity (L)	Length (mm)	Width (mm)	Height (mm)	Manhole (dia)	Weight (kg)	Outlets (mm)
SLIP05000	Promax Slimline Tank & Pump 5,000 Ltr	5,000	3000	910	2150	350	270	1x25
SLIP03000	Promax Slimline Tank & Pump 3,000 Ltr	3,000	3000	570	2150	350	230	1x25
SLIP03000	Promax Slimline Tank & Pump 3,000 Ltr	2,000	2250	570	2150	350	160	1x25
SLI005000	Promax Slimline Tank 5,000 Ltr	5,000	3000	910	2150	350	260	1x32
SLI003000	Promax Slimline Tank 3,000 Ltr	3,000	3000	570	2150	350	220	1x25
SLI002000	Promax Slimline Tank 2,000 Ltr	2,000	2250	570	2150	350	150	1x25
SLI001000	Promax Slimline Tank 1,000 Ltr	1,000	2250	310	1750	156	74	1x25



Septic Tanks

CODE	NAME	Capacity (L)	Length (mm)	Manhole (dia)	Weight (kg)	Diameter (mm)	Outlets (mm)
UXST05000	XPRESS Septic Tank 5,000 Ltr 1.2 Dia	5,000 Ltr	5000	600	200	1280	1x100
UXST04000	XPRESS Septic Tank 4,000 Ltr 1.2 Dia	4,000 Ltr	4000	600	175	1280	1x100
UXST03000	XPRESS Septic Tank 3,000 Ltr 1.2 Dia	3,000 Ltr	3100	600	150	1280	1x100
UXST02000	XPRESS Septic Tank 2,000 Ltr 1.2 Dia	2,000 Ltr	1950	600	100	1280	1x100

Rainharvesting Accessories

CODE	NAME	Length (mm)	Width (mm)	Height (mm)	Diameter (mm)
ACTFFITKIT	Promax Tank Fitting Kit				
ACTFTBK050	Promax Tank Balancing Kit - 50mm				
ACRHTLI	Promax Tank Level Indicator				
ACTFFLOUT025	Promax Floating Outtake - 25mm				25
ACTFFSOKIT100	Promax Fire Service Outlet Kit - 100mm				
ACTFFSOKITDI100	Promax Dual Tank Fire Service Outlet Kit - 100mm				
ACTFFSOKITB100	Promax Buried Single Tank Fire Service Outlet Kit - 100mm				100
ACTFFSOKITDB100	Promax Buried Dual Tank Fire Service Outlet Kit - 100mm				100
ACRHFFDK120	Promax First Flush Diverter 120 Ltr				
ACRHFFDK090	Promax First Flush Diverter Kit 90mm				
ACTFTVACLGE	Promax Tank Vac				
ACPUK50LM	Promax Water Pump Kit 50 LPM				
ACPUSUB60LM	Promax Submersible Pump 60 LPM				
ACPUSUBSWCAB	Promax Submersible Pump Water Rainbank Switch & Cabinet				
ACTFTOC050	Promax Corrugated Tank Outlet - 50mm				50
ACTFTOC025	Promax Tank Outlet with Corrugated Flange 25mm				25
ACRHFLTUV130	Promax Water Filter & UV 130 LPM	670	211	760	
ACRHFLTUV075	Promax Water Filter & UV 75 LPM	670	211	700	







Promax
LIQUID MANAGEMENT SOLUTIONS

Promax - Kerikeri
389 Waipapa Rd, Waipapa, Kerikeri
T: 09 407 3575

Promax - Rangiora
279 Flaxton Road, Rangiora
T: 03 313 3675

promax.co.nz