

PROMAX HAS A RICH **HISTORY OF SUCCESSFUL LIQUID STORAGE SOLUTIONS** IN THE PRIMARY SECTOR.

Whatever you need to store, from water and milk to stock food and molasses, we can provide an off the shelf or custom designed solution incorporating the latest global trends and polymer technologies.

> Kind regards, **The Promax Team**














ENDURO ABOVEGROUND WATER TANKS

Choose quality and style with our range of premium corrugated tanks, designed for superior performance and peace-of-mind. These ultra strong tanks are engineered to last and will complement every landscape with their contemporary look.






10,000, 25,000 and 30,000 litre tanks delivered free to your property (this may exclude certain areas and outer Islands).


the ground and still retain a 20 year warranty.

All Promax tanks comply with Australia and New Zealand Potable Drinking Standard with certification to AS/NZ 4766 - Polyethylene storage tank standard.

local reseller.







Big ENDURO Aboveground Tanks

- Big ENDURO Aboveground tanks range from 10000L to 30000L capacities
- Corrugated side walls for extra strength
- One piece construction reducing maintenance and costs
- Bury 1 metre in ground to overcome height restrictions
- 20 Year Promax Warranty providing you with peace of mind
- Multiple inlet/outlet panels saving you installation time
- 600mm Manhole
- Clean, fresh, untainted storage for drinking and household use
- Threaded base outlets
- Choice of 7 colours to suit your surroundings

8











Small ENDURO Aboveground Tanks

- Small ENDURO Aboveground tanks range from 450L to 5000L capacities
- Corrugated side walls for extra strength
- Maintenance-free one piece moulded construction
- Easy installation with multiple inlet/outlet opportunities
- Clean, fresh, untainted storage for drinking and household use
- 1x threaded base outlet
- Special outlets available on request
- Choice of 7 colours to suit your surroundings
- 450mm manhole














XPRESS Aboveground Tanks are made from high-grade polyethylene plastic and provide renowned Promax quality at an affordable price.



XPRESS Aboveground Water Tanks

- 2500L 30000L capacities
- One-piece construction reduces maintenance and costs
- Threaded 25mm 50mm outlet at base for quick and easy setup
- Choice of two popular colours
- Complies with AS/NZ Standards for clean fresh drinking water
- 20 Year Industry Warranty on 10,000, 15,000, 25,000 and 30,000 litre tanks
- 450mm 650mm Manhole

COMPLIES WITH AS/NZ STANDARDS FOR DRINKING **WATER**









SEPTIC TANKS

When it comes to septic tanks in New Zealand, there is no room for compromise. Hygiene and safety are paramount, and the structural integrity of the tank must be flawless.

That's precisely what you get in every Promax septic tank.

Our 'Single Stage' filtered septic tanks are designed by geotechnical experts and manufactured to meet the stringent standards for New Zealand septic tanks. Each heavy-duty ribbed tank is fully tested to withstand ground and water pressure. For all its strength, it is lightweight, meaning you'll save on transport and installation costs. As you'd expect, every Promax septic tank is internally plumbed up to the outlets.



Septic Tanks

- · Very strong heavy-duty one-piece ribbed construction
- Lightweight means savings on transport and installation costs
- Polyethylene will not corrode or rot
- Includes Taylex Outlet Filter
- Easy to install using 100mm inlet & outlet





Minimum Septic Tank Operational Capacities in Litres	
As per AS/NZS 1546	

Pe	Persons Bedroom		room
1 to 5	6 to 10	1 to 3	4 to 6
3,000	4,500	3,000	4,500
1,800	2,700	1,800	2,700
1,500	2,500	1,500	2,500
	1 to 5 3,000 1,800	1 to 5 6 to 10 3,000 4,500 1,800 2,700	1 to 5 6 to 10 1 to 3 3,000 4,500 3,000 1,800 2,700 1,800

- 1. Capacities exclude cold climate effects and food waste disposal unit requirements: these need to be subject to specific design.
- 2. Local authorities may have different minimum requirements







COLOSTRUM TANKS

Made entirely from UV-stabilised, food-grade polyethylene. Promax Colostrum Tanks are translucent making it easy to monitor quantities.

Stirring and inspection are simple with the easy-access inspection lid.









Colostrum Tanks

- Translucent polyethylene tanks designed specifically for the dairy industry
- 50mm outlet for easy access
- 450mm 600mm diameter offset inspection lid
- Certification to AS/NZ 4766 Polyethylene storage tank standard
- CT1010000NA Single tie down / lifting point for easy manoeuvrability
- CT1005000NA / CT1003500NA 2 tie down / lifting points for easy manoeuvrability
- CT1002500NA / CT1001000NA Tie downs / lifting points for easy manoeuvrability



MOLASSES TANKS

Molasses tanks on New Zealand farms and in foodrelated businesses need to be solid and rigid.

They have to handle the extra weight and viscosity of bulk molasses, and that's what Promax tanks are designed and manufactured to do.

No matter what you choose, and no matter the size, you can rest assured that your molasses storage is taken care of and in the strongest, most secure way.





Molasses Tanks

- Side-mounted sight glass for easy volume monitoring
- Heavy-duty UV treated polyethylene
- Strong one-piece corrugated construction
- NZ water standards compliant




Promax Molasses Fitting Kit

This fitting kit includes everything you need to get your molasses tank ready to use:

- 1 x 50mm brass ball valve
- 1 x 80mm brass ball valve
- 1 x 80mm male cam lock c/w dustcap






TOOL BOXES

Taska Tool Boxes feature the popular angle design to match modern utility fit-outs while still offering a good sized storage area.

Promax Taska Toolbox

- Available in small or large sizes
- Will never rust or rot like steel or plywood
- Lockable to keep your valuable tools safe
- Designed to be totally weatherproof





Promax Pump Covers

Their versatility, durability and low cost make Promax Pump Covers the popular choice with plumbers.

- Well vented to prevent pump overheating
- Two sizes that fit most common pumps
- Easy to install in most environments
- Strong self supporting pump base









More and more New Zealanders are harvesting more and more rain. We're here to meet the increased demand for rain harvesting tanks and accessories.

If you want to capture every precious drop, we'll help you find the tank that best suits your property.

To help you get the most out of your tank, we also have all the accessories you'll require. They include pumps and covers, tank level indicators, fittings, fire coupling kits, leaf eaters and everything else you need to keep your rainwater storage safe, secure and clean.

Promax Tank Fitting Kit

ACTFFITKIT

- 2 x Promax Pipe seals 90mm
- 1 x Reducing nipple 50mm 25mm
- 1 x Promax Plastic Ball Valve 25mm
- 1 x Promax 25mm Hose Tail
- 1 x 2m Flexi suction delivery hose 25mm
- 1 x roll Thread Tape



Promax Tank Balancing Kit -50mm

ACTFTBK050

This kit contains all the 50mm fittings required to install a water balance pipeline between two tanks. This allows them to operate as one tank. This kits also includes one isolating ball valve.






Promax Buried Single Tank Fire Service Outlet Kit - 100mm

ACTFFSOKITB100

- Long lasting Brass Gate valve and Coupling
- 100mm Fire Service Standard Size
- Meets New Zealand Fire Service Standards
- Easy to Install
- Maintenance free



Promax Buried Dual Tank Fire Service Outlet Kit - 100mm

ACTFFSOKITDB100

- Long lasting Brass Gate valve and Coupling
- 100mm Fire Service Standard Size
- Meets New Zealand Fire Service Standards



Maintenance free







ACTFFSOKIT100

- Includes: 100mm Tank Fitting, Brass Gate Valve, Galvanised Support Bracket & Approved Fire Coupling
- Meets New Zealand Fire Service Standards
- Easy to Install
- Maintenance free
- Includes: Adjustable Galvanised Steel Support Bracket 150mm-250mm Height.



ACTFFSOKITD100

The Dual Fire Outlet Kit is required when you wish to interconnect and draw water from both tanks at the same time.



Promax Tank Level Indicator

ACRHTLI

Running dry can seriously damage your pump so it's important to know when water levels are low. Suitable for any type or size of tank, the Tank Level Indicator, is an essential part of your water management.



Promax Floating Outtake

- 25mm

ACTFFLOUT025

This simple kit attaches to your tank outlet and floats on the surface of the water within your tank. It draws only the cleanest water from your tank, just below the surface.

· Also available in a 50mm option





ACTFTVACLGE

Protect your water supply from contamination with the easy to install Promax Tank Vac.

It gently cleans the bottom of your tank, where unhygienic debris can settle, to improve your water quality.

Promax Frost Protection Kit-50mm

ACTFFPK050

The Promax frost Protection kit is an internal riser for a ballcock. Internally plumbed it is more insulated from the elements and therefore less likely to freeze solid and stop working.



Promax Water Pump Kit 50 LPM

ACPUK50LM

- 1 x Grundfos Pump
- 1 x Small pump cover
- 2 x Promax Pipe seals 90mm
- 1 x Reducing nipple 50mm 25mm
- 1 x Promax Plastic Ball Valve 25mm
- 1 x Promax 25mm Hose Tail
- 1 x 2m Flexi suction delivery hose 25mm
- 1 x Roll Thread Tape







Promax Corrugated Tank Outlet - 50mm

ACTFTOC050

This 50mm Tank Outlet comes complete with the corrugated rubber gasket kit suitable for use on Promax corrugated tanks.



Promax Tank Outlet with Corrugated Flange 25mm

ACTFTOC025

- This 25mm Tank Outlet comes complete with the corrugated rubber gasket kit suitable for use on Promax corrugated tanks.
- Recommended Holesaw Size -34mm or 13/8"



Promax Water Filter & UV 130 **LPM**

ACRHFLTUV130



Promax Water Filter & UV 75 LPM

ACRHFLTUV075



- 10 Year warranty aluminium housing/stainless chambers
- 3 Year warranty on filtration units 20/1 microns
- Easy and fast "plug and play" installation
- Complete eco-friendly and chemical free process
- Anti-tamper and childproof lockable controller lid
- Double O-Ring filter housings with no leaking
- Lamp count-down timer and failure alarm (audible and visible)
- Longer filter life with very easy replacement







The XPRESS range of bare diesel tanks manufactured by Promax feature a 50mm filling cap and 20mm breather.

XPRESS Diesel Tanks

Tough diesel grade polyethylene construction for years of maintenance-free life.

• Available in 200L - 1,000L capacities

The Promax Bunded Fuel Storage Tank offers protection from leakage and overfilling. With a 110% secondary containment, it provides safe diesel storage.

Promax Bunded Diesel Tank 500 Ltr

Diesel Grade UV stabilised LDPE -Tough and durable.

- 450mm Hinged Lid Easy access
- 110% Bunding Compliant







BDDT00500







Keep your fuel cleaner and reduce the risk of engine damage with Promax's purpose-built diesel tanks.

ENDURO Diesel Unit 400 Ltr 40LPM 12v

ENDU400400

- 4 metres of 20mm delivery hose with swivel connector
- Automatic shut-off nozzle
- 40L/min flow diesel pumps
- Padlockable hinged cover
- Ball Baffles for surge protection
- Innovative splash-resistant breather
- Easy-clean suction strainer

ENDURO Diesel Unit 200 Ltr 40LPM 12v

ENDU400200

- Lightweight and designed to make the most efficient use of space - have your fuel where you need it, whenever you need it!
- Kits come with hosing, power cables, nozzles and pumps included - making them ready to use
- Auto shut off nozzles prevent accidental spillage



Also available in 600L and 1,000L capacities





TRANSPORT TANKS

The Promax range of Transport Tanks deliver real strength through clever design.

Promax makes it easy for you to take liquids from Point A to Point B safely and efficiently. We boast an incredible range of transport tanks in all shapes and sizes for water and other liquids, as well as every accessory you need.

Our liquid transport units have been manufactured to deliver unmatched flexibility and economy for transporting liquids. Our specially formulated polymers combine to eliminate rust and stress-cracking problems and significantly reduce weight.


Promax Transport Tanks

- 5 year warranty
- UV Stabilized to withstand the elements for a long, trouble free life
- Vented lid to make filling easy
- Food Grade: NZ Standard AS2070:1999
- 3/4" / 20mm tank outlet
- The full Promax Transport Tank ranges from 50 - 15,000 litre capacities









DRAINAGE

Promax Culvert

These tough high-quality ribbed polyethylene culverts offer many advantages over traditional concrete materials.

- Available in 330mm to 1200mm internal diameter and 2.7m or 5.2m lengths
- Heavy duty ribbed polyethylene construction for added assurance
- Lightweight for easy transport
- · Easy joining and installation method
- No damage from rust or corrosive materials
- Very strong and highly resistant to impact and shock
- The inherent flexibility makes it ideal for more difficult terrain



Promax Fluming

This lightweight half circle polyethylene culvert is ideal for water drainage management to prevent erosion and meet environmental concerns.

- Heavy duty ribbed polyethylene construction
- Easy installation
- Ideal for uneven contours









EN1005000 5,000L EN1004000 4,000L EN1003000 EN1002000 EN1001000 3,000L 2,000L 1,000L EN1000450 450L 17600mm 1735mm 1240mm **⊢1030mm**− **-**−1300mm 1600mm 1600mm 1600mm EN1030000 EN1010000 EN1025000 30,000L 10,000L 25,000L ENLP05000 LOW PROFILE 5,000L 3125mm 2731mm 2900mr 1850mm

2200mm



3660mm

0800 77 66 29

2200mm

3660mm

SPECIFICATIONS

For improved information quality we regularly update our tank specifications for our molds. For the latest and most accurate information, please contact our team directly.

ENDURO Water Tanks

CODE	NAME	Capacity (L)	Height (mm)	Manhole (dia)	Weight (kg)	Diameter (mm)	Outlets (mm)
EN1030000	ENDURO Water Tank 30,000 Ltr	30,000 Ltr	3125	600	450	3660	
EN1025000	ENDURO Water Tank 25,000 Ltr	25,000 Ltr	2731	600	380	3660	
EN1010000	ENDURO Water Tank 10,000 Ltr North Island	10,000 Ltr	2900	450	175	2200	
ENLP05000	ENDURO Water Tank 5,000 Ltr Low Profile	5,000 Ltr	1850	450	110	2200	
EN1005000	ENDURO Water Tank 5,000 Ltr North Island	5,000 Ltr	2690	450	100	1600	
EN1004000	ENDURO Water Tank 4,000 Ltr	4,000 Ltr	2200	450	85	1600	
EN1003000	ENDURO Water Tank 3,000 Ltr	3,000 Ltr	1760	450	65	1600	
EN1002000	ENDURO Water Tank 2,000 Ltr	2,000 Ltr	1735	450	40	1300	
EN1001000	ENDURO Water Tank 1,000 Ltr	1,000 Ltr	1240	450	30	1030	
EN1000450	ENDURO Water Tank 450 Ltr	450 Ltr	820	450	20	880	

XPRESS Water Tanks

CODE	NAME	Capacity (L)	Height (mm)	Manhole (dia)	Weight (kg)	Diameter (mm)	Outlets (mm)
XP1030000	XPRESS Water Tank 30,000 Ltr	30,000 Ltr	3100	600	425	3660	
XP1025000	XPRESS Water Tank 25,000 Ltr	25,000 Ltr	2800	600	375	3660	
XP1015000	XPRESS Water Tank 15,000 Ltr - North Island	15,000 Ltr	2500	600	265	3000	
XP1015000	XPRESS Water Tank 15,000 Ltr - South Island	15,000 Ltr	2350	600	220	3000	
XP1010000	XPRESS Water Tank 10,000 Ltr - South Island	10,000 Ltr	3030	450	180	2200	
XPSK05760	XPRESS Water Tank 5,760 Ltr Stackable	5,760 Ltr	2040			2300	1x25
XP1005000	XPRESS Water Tank 5,000 Ltr - South Island	5,000 Ltr	2240	450	100	1850	
XP1003500	XPRESS Water Tank 3,500 Ltr	3,500 Ltr	1704	450	70	1850	
XP1002500	XPRESS Water Tank 2,500 Ltr	2,500 Ltr	1240	450	55	1850	
XP1000120	Promax Header Tank 120 Ltr	120 Ltr	510	250	5	660	

Septic Tanks

CODE	NAME	Capacity (L)	Length (mm)	Manhole (dia)	Weight (kg	Diameter (mm)	Outlets (mm)
UXST05000	XPRESS Septic Tank 5,000 Ltr 1.2 Dia	5,000 Ltr	5000	600	200	1280	1×100
UXST04000	XPRESS Septic Tank 4,000 Ltr 1.2 Dia	4,000 Ltr	4000	600	175	1280	1×100
UXST03000	XPRESS Septic Tank 3,000 Ltr 1.2 Dia	3,000 Ltr	3100	600	150	1280	1x100
UXST02000	XPRESS Septic Tank 2,000 Ltr 1.2 Dia	2,000 Ltr	1950	600	100	1280	1×100







Colostrum Tanks

CODE	NAME	Capacity (L)	Height (mm)	Manhole (dia)	Diameter (mm)	Outlets (mm)
CT1030000NA	Promax Colostrum Tank 30,000 Ltr	30,000 Ltr	3100	600	3660	2x50
CT1025000NA	Promax Colostrum Tank 25,000 Ltr	25,000 Ltr	2800	600	3660	2x50
CT1015000NA	Promax Colostrum Tank 15,000 Ltr - North Island	15,000 Ltr	2500	600	3000	1x50
CT1015000NA	Promax Colostrum Tank 15,000 Ltr - South Island	15,000 Ltr	2350	600	3000	1x50
CT1010000NA	Promax Colostrum Tank 10,000 Ltr	10,000 Ltr	3030	600	2200	1x50
CT1005000NA	Promax Colostrum Tank 5,000 Ltr	5,000 Ltr	2010	450	1850	1x50
CT1003500NA	Promax Colostrum Tank 3,500 Ltr	3,500 Ltr	1704	450	1850	1x50
CT1002500NA	Promax Colostrum Tank 2,500 Ltr	2,500 Ltr	1240	450	1850	1x50
CT1001000NA	Promax Colostrum Tank 1,000 Ltr	1,000 Ltr	1420	450	1030	1x50

Molasses Tanks

CODE	NAME	Capacity (L)	Height (mm)	Manhole (dia)	Diameter (mm)	Outlets (mm)
MT1330000BK	Promax Molasses Tank 30,000 Ltr Black	30,000 Ltr	3125	600	3660	1x80
MT1325000BK	Promax Molasses Tank 25,000 Ltr Black	25,000 Ltr	2731	600	3660	1x80
MT1315000BK	Promax Molasses Tank 15,000 Ltr Black - North Island	15,000 Ltr	2500	600	3000	1x80
MT1315000BK	Promax Molasses Tank 15,000 Ltr Black - South Island Only	15,000 Ltr	2350	600	3000	1x80
MT1310000BK	Promax Molasses Tank 10,000 Ltr Black	10,000 Ltr	2900	450	2200	1x80
MT1305000BK	Promax Molasses Tank 5,000 Ltr Black	5,000 Ltr	2690	450	1600	1x80
MT1304000BK	Promax Molasses Tank 4,000 Ltr Black	4,000 Ltr	2200	450	1600	1x80

Rain harvesting Accessories

CODE	NAME	Length (mm)	Width (mm)	Height (mm)	Diameter (mm)
ACTFTBK050	Promax Tank Balancing Kit - 50mm				
ACRHTLI	Promax Tank Level Indicator				
ACTFFLOUT025	Promax Floating Outtake - 25mm				25
ACTFFSOKIT100	Promax Fire Service Outlet Kit - 100mm				
ACTFFSOKITD100	Promax Dual Tank Fire Service Outlet Kit - 100mm				
ACTFFSOKITB100	Promax Buried Single Tank Fire Service Outlet Kit - 100mm				100
ACTFFSOKITDB100	Promax Buried Dual Tank Fire Service Outlet Kit - 100mm				
ACTFTVACLGE	Promax Tank Vac				
ACTFFPK050	Promax Frost Protection Kit - 50mm				
ACPUK50LM	Promax Water Pump Kit 50 LPM				
ACTFTOC050	Promax Corrugated Tank Outlet - 50mm				50
ACTFTOC025	Promax Tank Outlet with Corrugated Flange 25mm				25
ACRHFLTUV130	Promax Water Filter & UV 130 LPM	670	211	760	
ACRHFLTUV075	Promax Water Filter & UV 75 LPM	670	211	700	





Diesel Tanks

CODE	NAME	Capacity (L)	Length (mm)	Width (mm)	Height (mm)
XPDT00200	XPRESS Diesel Tank 200 Ltr	200 Ltr	840	550	660
XPDT00550	XPRESS Diesel Tank 550 Ltr	550 Ltr	1200	775	800
XPDT00900	XPRESS Diesel Tank 900 Ltr	900 Ltr	1880	830	850
BDDT00500	Promax Bunded Diesel Tank 500 Ltr	500 Ltr			
ENDU400400	ENDURO Diesel Unit 400 Ltr 40LPM 12v	400 Ltr	1200	850	735
ENDU400200	ENDURO Diesel Unit 200 Ltr 40LPM 12v	200 Ltr	1200	850	510

Transport Tanks

CODE	NAME	Capacity (L)	Length (mm)	Width (mm)	Height (mm)	Manhole (dia)
TT0100050	Promax Transport Tank 50 Ltr	50 Ltr	920	390	305	250
TT0100100	Promax Transport Tank 100 Ltr	100 Ltr	920	390	425	250
TT0100200	Promax Transport Tank 200 Ltr	200 Ltr	800	550	600	250
TT0100550	Promax Transport Tank 550 Ltr	550 Ltr	1250	830	870	350

Tool Boxes

CODE	NAME	Length (mm)	Width (mm)	Height (mm)
ACTB01050	Promax Taska Toolbox Large	1050	460	600
ACTB00600	Promax Taska Toolbox Small	680	480	600
ACPC00850	Promax Pump Cover Large	800	570	850
ACPC00500	Promax Pump Cover Small	700	400	500

Drainage

CODE	NAME	Length (mm)	Diameter (mm)
CUCU03327	Promax Culvert 330mm x 2.7M	2700	330
CUCU04527	Promax Culvert 450mm x 2.7M	2700	450
CUCU06027	Promax Culvert 600mm x 2.7M	2700	600
CUCU07027	Promax Culvert 750mm x 2.7M	2700	750
CUCU09027	Promax Culvert 900mm x 2.7M	2700	900
CUCU12027	Promax Culvert 1200mm x 2.7M - South Island	2700	1200
CUFL03327	Promax Fluming 330mm x 2.7M	2700	330
CUFL04527	Promax Fluming 450mm x 2.7M	2700	450
CUFL06027	Promax Fluming 600mm x 2.7M	2700	600
CUFL07027	Promax Fluming 750mm x 2.7M	2700	750
CUFL09027	Promax Fluming 900mm x 2.7M	2700	900
CUFL12027	Promax Fluming 1200mm x 2.7M - South Island	2700	1200









